# Republic of the Philippines



# TARLAC STATE UNIVERSITY

Romulo Boulevard San Vicente Tarlac City 2300 Tel. No. (045) 606-8157/606-8162 Website: www.tsu.edu.ph

# REQUEST FOR QUOTATION

RFQ No. 595-2025 Date: November 07, 2025

The TARLAC STATE UNIVERSITY (TSU), through its Bids and Awards Committee (BAC), intends to procure Various Electrical Supplies and Materials with an Approved Budget for the Contract of Three Hundred Thirty-Four Thousand One Hundred Pesos (PhP 334,100.00) through Small Value Procurement pursuant to Section 34 of the Implementing Rules and Regulations of Republic Act No. 12009.

Please submit your duly signed quotation addressed to the Bids and Awards Committee (BAC) Chairperson and to the given address below, on or before 1:00PM of 13 November 2025, subject to compliance with the Terms and Conditions provided on this Request for Quotation (RFQ):

## WILMARK J. RAMOS

Chairperson, Bids and Awards Committee-Goods and Services Tarlac State University Romulo Boulevard, San Vicente Tarlac City Telephone No. (045) 606-8162 Email: tsucanvassing@gmail.com

Interested supplier/service provider shall also submit a copy of the following documents along with the quotation on or before the above specified deadline for submission of quotation:

Required Documents:

Valid Business/Mayor's Permit PhilGEPS Registration Number

□ Tax Clearance (per RR017-2024 EO398 Series 2005, Updated Tax Clearance

Notarized Omnibus Sworn Statement, if applicable □ Latest Income/Business Tax Return, if applicable

□ Others,

The Head of the Procuring Entity (HoPE) of the TSU reserves the right to reject any and all quotations, declare a failure of procurement, or not award the contract in accordance with Section 70 of the IRR of RA No. 12009.

For any clarification, you may contact the BAC Secretariat at (045) 606-8157/606-8162 or send email to tsucanvassing@qmail.com.

By the Authority of the Bids and Awards Committee:

MENCHIE'D'. ABELLAR Head, BAC Secretariat/Procurement Unit/

Revision No.: 00	Effectivity Date: August	Page 1 of 5	
	Revision No.: 00	Revision No.: 00 Effectivity Date: August 12, 2025	Tage 1 of 3

#### **INSTRUCTIONS:**

Note: Failure to follow these instructions will disqualify your entire quotation.

- 1. Do not alter the contents of this form in any way.
- 2. The use of this RFQ is highly encouraged to minimize errors or omissions of the required mandatory provisions.
- 3. The quotation shall contain all the mandatory requirements/provisions including manifestation of the agreement with the Terms and Conditions below.
- 4. In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall prevail.
- 5. **All technical specifications must be complied with.** Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- 6. Quotations may be submitted through electronic mail at <a href="mailto:tsucanvassing@gmail.com">tsucanvassing@gmail.com</a>.
- Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the e-mail shall be considered.

9

## **TERMS AND CONDITIONS:**

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. The following shall be observed in accomplishing the Quotation/Proposal Form:

ım Technical cifications	Quantity	Offered Technical Specification/Service	Statement of Compliance (Comply or Not Comply)
			YES or NO

- 3. Detailed literature or brochure of the offer, as may be applicable, shall be submitted to support statement of compliance of the technical specifications
- 4. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- Price quotation/s must be valid for a period of FORTY-FIVE (45) calendar days from the deadline of submission.
- 6. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
- 7. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 8. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the TSU shall adopt and employ "draw lots" as the tie- breaking method to finally determine the single winning provider.
- 9. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
- 10. The item/s shall be delivered according to the accepted offer of the bidder.
- 11. Item/s delivered shall be inspected on the scheduled date and time of the TSU. The delivery of the item/s shall be acknowledged upon the delivery to confirm compliance with the technical specifications.
- 12. Payment shall be made after delivery and upon the submission of the required supporting documents.
- 13. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. TSU may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 14. The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 12009 and its Implementing Rules and Regulations.
- 15. The RFQ, Purchase Order (PO), and other related documents for the above-stated procurement projects shall be deemed to form part of the contract.

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 2 of 5
		12, 2025	

Date:			
Date.			

## The Bids and Awards Committee

Tarlac State University San Vicente, Tarlac City

Dear Sir/Madam:

After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Note: Non-compliance with the minimum required specifications shall by grounds for disqualification  Procurement of Various Electrical Supplies and Materials  Dry Type Transformer 20KVA; Three phases; Primary Voltage: 230V, 1 Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure  Dry Type Transformer 7.5KVA; Three phases; Primary Voltage: 230V, 2 Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure  3 Automatic Voltage Regulator 5kVA, Single Phase Converter 7.5KVA; Primary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  4 Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  Digital Phase Converter 3kVA; Primary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  6 MCCB 230V, 50AT/100AF 3P, in NEMA3R 1 set Enclosure  7 MCCB 230V, 30AT/100AF 3P, in NEMA3R 2 set (s) Enclosure  8 MCCB 230V, 30AT/100AF 2P, in NEMA3R 2 set (s) Enclosure  9 Royal Cord 3 Core, 8.0 mm² 3 set (s)  10 Royal Cord 3 Core, 8.0 mm² 3 oset (s)  Warranty Period (for equipment, tools, and devices)  ***nothing as follows**		Minimum Technical Specifications	Quantity	Offe Tech Specific	nical cations	Com (Con Not	ement of pliance nply or Comply)
Dry Type Transformer 20KVA; Three phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure  Dry Type Transformer 7.5KVA; Three phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure  3 Automatic Voltage Regulator 5kVA, Single Phase 230V Digital Phase Converter 7.5KVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure Digital Phase Converter 3KVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure Digital Phase Converter 3KVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  MCCB 230V, SolAT/100AF 3P, in NEMA3R Enclosure  MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure  MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure  MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure  MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure  ROCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure	gr	ounds for disqualification			specifica	itions	shall be
phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure  Dry Type Transformer 7.5KVA; Three phases; Primary Voltage: 230V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure  3 Automatic Voltage Regulator 5kVA, Single Phase 230V  Digital Phase Converter 7.5KVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  Digital Phase Converter 3kVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  Digital Phase Converter 3kVA; Primary Voltage: 230V single phase, Secondary Voltage: 230V single phase, Secondary Voltage: 230V, Songle phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  7 MCCB 230V, SondT/100AF 3P, in NEMA3R 2 set (s) Enclosure  8 MCCB 230V, 30AT/100AF 3P, in NEMA3R 2 set (s) Enclosure  9 Royal Cord 3 Core, 8.0 mm² 3 set (s)  Warranty Period (for equipment, tools, and devices)  Delivery Period: (38 calendar days)	Pro		ipplies and	Materials			
phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure  3 Automatic Voltage Regulator 5kVA, Single Phase 230V Digital Phase Converter 7.5kVA; Primary Voltage: 230V single phase, Secondary 4 Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure Digital Phase Converter 3kVA; Primary Voltage: 230V single phase, Secondary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure 6 MCCB 230V, 50AT/100AF 3P, in NEMA3R Enclosure 7 MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure 8 MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure 9 Royal Cord 3 Core, 8.0 mm² 3 set (s) 10 Royal Cord 3 Core, 3.5mm²  Warranty Period (for equipment, tools, and devices)  Delivery Period: ( 3 calendar days)	1	phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure	1 set				
Single Phase 230V  Digital Phase Converter 7.5KVA; Primary Voltage: 230V single phase, Secondary  Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  Digital Phase Converter 3KVA; Primary Voltage: 230V single phase, Secondary  Voltage: 230V single phase, Secondary  Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  MCCB 230V, 50AT/100AF 3P, in NEMA3R Enclosure  MCCB 230V, 50AT/100AF 3P, in NEMA3R Enclosure  MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure  MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure  MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure  MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure  Royal Cord 3 Core, 8.0 mm² 3 set (s)  Warranty Period (for equipment, tools, and devices)  Delivery Period: (36 calendar days)	2	phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type,	2 set (s)				
Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  Digital Phase Converter 3KVA; Primary Voltage: 230V single phase, Secondary  5 Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  6 MCCB 230V, 50AT/100AF 3P, in NEMA3R Enclosure  7 MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure  8 MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure  9 Royal Cord 3 Core, 8.0 mm² 3 set (s)  10 Royal Cord 3 Core, 3.5mm² 30 set (s)  Warranty Period (for equipment, tools, and devices)  Delivery Period: (	3		1 set				
Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure  6 MCCB 230V, 50AT/100AF 3P, in NEMA3R Enclosure  7 MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure  8 MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure  9 Royal Cord 3 Core, 8.0 mm² 1 set  2 set (s) Enclosure  9 Royal Cord 3 Core, 8.0 mm² 3 set (s)  Warranty Period (for equipment, tools, and devices)  Delivery Period: (	4	Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1	1 set				
Enclosure  7 MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure  8 MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure  9 Royal Cord 3 Core, 8.0 mm² 3 set (s)  10 Royal Cord 3 Core, 3.5mm² 30 set (s)  Warranty Period (for equipment, tools, and devices)  Delivery Period: (	5	Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1	1 set				
Enclosure  8 MCCB 230V, 30AT/100AF 2P, in NEMA3R 2 set (s) Enclosure  9 Royal Cord 3 Core, 8.0 mm² 3 set (s) 10 Royal Cord 3 Core, 3.5mm² 30 set (s)  Warranty Period (for equipment, tools, and devices)  Delivery Period: ( 3 calendar days)	6	The state of the s	1 set				
Enclosure  9 Royal Cord 3 Core, 8.0 mm² 3 set (s)  10 Royal Cord 3 Core, 3.5mm² 30 set (s)  Warranty Period (for equipment, tools, and devices)  Delivery Period: (36 calendar days)	7		2 set (s)				
10 Royal Cord 3 Core, 3.5mm² 30 set (s)  Warranty Period (for equipment, tools, and devices)  Delivery Period: (	8		2 set (s)				
Warranty Period (for equipment, tools, and devices)  Delivery Period: (_3°_calendar days)	9	Royal Cord 3 Core, 8.0 mm <sup>2</sup>	3 set (s)				
Delivery Period: (_3°_calendar days)	10	Royal Cord 3 Core, 3.5mm²					
	too	ls, and devices)					
		**not	hing as fol	lowe**			

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 3 of 5
		12, 2025	-

# FINANCIAL OFFER:

	Approved Budget for t Three Hundred Thirty-Four Thousand O	he Contract	(ABC): ed Pesos (PhP :	334,100.00)
	Items	Quantity (A)	Offered Price per Unit (B)	Total Offered Price per Item (A x B)
1	Dry Type Transformer 20KVA;	1		
2	Dry Type Transformer 7.5KVA;	2		
3	Automatic Voltage Regulator 5kVA,	1		
4	Digital Phase Converter 7.5KVA;	1		
5	Digital Phase Converter 3KVA	1		
6	MCCB 230V, 50AT/100AF 3P, in NEMA3R Enclosure	1		
7	MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure	2		
8	MCCB 230V,30AT/100AF 2P, in NEMA3R Enclosure	2		
9	Royal Cord 3 Core, 8.0 mm <sup>2</sup>	3		
10	Royal Cord 3 Core, 3.5mm <sup>2</sup>	30		
			Grand Total	

	In Words:
Total Offered Quotation	In Figures:

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 4 of 5
		12, 2025	

Signature Over Printed Name
Position/Designation
Company Registered Name
Office Telephone/Mobile Nos.
Email Address/es
Date

### **Bid Notice Abstract**

## Request for Quotation (RFQ)

Reference Number

12565466

**Procuring Entity** 

TARLAC STATE UNIVERSITY

Title

Procurement of Various Electrical Supplies and Materials

Area of Delivery

Solicitation Number:	595-2025	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Electrical Supplies		
Approved Budget for the Contract:	PHP 334,100.00		
Delivery Period:	30 Day/s	Document Request List	0
Client Agency:			
		Date Published	08/11/2025
Contact Person:	Tutchie Panlilio Clerk		
	TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac	Last Updated / Time	07/11/2025 16:51 PM
	Philippines 2300 63-045-6068110 Ext.157	Closing Date / Time	13/11/2025 13:00 PM
	tsucanvassing@gmail.com		

#### Description

for Electrical System Upgrade from single phase to three phase power supply.

- 1. Dry Type Transformer 20KVA; Three phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure.
- 2. Dry Type Transformer 7.5KVA; Three phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure.
- 3. Automatic Voltage Regulator 5kVA, Single Phase 230V
- 4. Digital Phase Converter 7.5KVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure.
- 5. Digital Phase Converter 3KVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure.
- 6. MCCB 230V, 50AT/100AF 3P, in NEMA3R Enclosure
- 7. MCCB 230V, 30AT/100AF 3P, in NEMA3R Enclosure 8. MCCB 230V, 30AT/100AF 2P, in NEMA3R Enclosure
- 9. Royal Cord 3 Core, 8.0 mm<sup>2</sup>
- 10. Royal Cord 3 Core, 3.5mm<sup>2</sup>

#### Line Items

Item No.	Product/Service Name	Description	Quantity	иом	Budget (PHP)
1	Dry Type Transformer	20KVA; Three phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure	1	Set	91,000.00
2	Dry Type Transformer	7.5KVA; Three phases; Primary Voltage: 230V, Secondary Voltage: 380V, Class H Insulation, Floor Mounted, Indoor type, NEMA 1 Enclosure	2	Set	78,000.00

3	Automatic Voltage Regulator	5kVA, Single Phase 230V	1	Set	13,000.00
4	Digital Phase Converter	7.5KVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure	1	Set	65,000.00
5	Digital Phase Converter	3KVA; Primary Voltage: 230V single phase, Secondary Voltage: 380V three phase, Floor Mounted, Indoor type, NEMA 1 Enclosure	1	Set	52,000.00
6	MCCB 230V	50AT/100AF 3P, in NEMA3R Enclosure	1	Set	5,200.00
7	MCCB 230V	30AT/100AF 3P, in NEMA3R Enclosure	2	Set	10,400.00
8	MCCB 230V	30AT/100AF 2P, in NEMA3R Enclosure	2	Set	7,800.00
9	Royal Cord	3 Core, 8.0 mm <sup>2</sup>	3	Set	2,340.00
10	Royal Cord	3 Core, 3.5mm <sup>2</sup>	30	Set	9,360.00

Other Information
The bidders must download the attached documents in the associated component section.
Note: Award shall be on a "per line item" basis.
For the complete specifications, please refer to the attached Request for Quotation.

Created by

Tutchie Panlilio

**Date Created** 

07/11/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2025 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap