Republic of the Philippines



TARLAC STATE UNIVERSITY

Romulo Boulevard San Vicente Tarlac City 2300 Tel. No. (045) 606-8157/606-8162 Website: www.neuroemph.

REQUEST FOR QUOTATION

RFQ No. 625-2025 Date: November 19, 2025

The TARLAC STATE UNIVERSITY (TSU), through its Bids and Awards Committee (BAC), intends to procure I.T. Tools, Supplies, Accessories and Equipment with an Approved Budget for the Contract of One Million Five Hundred Eight Thousand Four Hundred Seventy Pesos (PhP 1,508,470.00) through Small Value Procurement pursuant to Section 34 of the Implementing Rules and Regulations of Republic Act No. 12009.

Please submit your duly signed quotation addressed to the Bids and Awards Committee (BAC) Chairperson and to the given address below, on or before **1:00PM of 28 November 2025**, subject to compliance with the Terms and Conditions provided on this Request for Quotation (RFQ):

WILMARK J. RAMOS

Chairperson, Bids and Awards Committee-Goods and Services
Tarlac State University
Romulo Boulevard, San Vicente Tarlac City
Telephone No. (045) 606-8162
Email: tsucanvassing@gmail.com

Interested supplier/service provider shall also submit a copy of the following documents along with the quotation on or before the above specified deadline for submission of quotation:

Required Documents:

□ Tax Clearance (per RR017-2024 EO398 Series

2005, Updated Tax Clearance

✓ Notarized Omnibus Sworn Statement, if applicable
 ✓ Latest Income/Business Tax Return, if applicable
 □ Others,

The Head of the Procuring Entity (HoPE) of the TSU reserves the right to reject any and all quotations, declare a failure of procurement, or not award the contract in accordance with Section 70 of the IRR of RA No. 12009.

For any clarification, you may contact the BAC Secretariat at (045) 606-8157/606-8162 or send email to tsucanyassing@qmail.com.

By the Authority of the Bids and Awards Committee:

MENCHIE D. ABELLAR
Head, BAC Secretariat/Procurement Unit

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 1 of 9
	į	12, 2025	

INSTRUCTIONS:

Note: Failure to follow these instructions will disqualify your entire quotation.

- 1. Do not alter the contents of this form in any way.
- 2. The use of this RFQ is highly encouraged to minimize errors or omissions of the required mandatory provisions.
- 3. The quotation shall contain all the mandatory requirements/provisions including manifestation of the agreement with the Terms and Conditions below.
- 4. In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall prevail.
- 5. **All technical specifications must be complied with.** Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- 6. Quotations may be submitted through electronic mail at tsucanvassing@gmail.com.
- 7. Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the e-mail shall be considered.

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. The following shall be observed in accomplishing the Quotation/Proposal Form:





			***	•
M	inimum Technical Specifications	Quantity	Offered Technical Specification/Service	Statement of Compliance (Comply or Not Comply)
				YES or NO
1.	State the Brand/Model of Compliance;	offered and/or a	alternate offer if answered "N	'O" in the Statement of
2.	Check if compliant with t	he specifications	s or not.	

- 3. Detailed literature or brochure of the offer, as may be applicable, shall be submitted to support statement of compliance of the technical specifications
- 4. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 5. Price quotation/s must be valid for a period of **FORTY-FIVE (45) calendar days** from the deadline of submission.
- 6. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
- 7. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 8. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the TSU shall adopt and employ "draw lots" as the tie- breaking method to finally determine the single winning provider.
- 9. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
- 10. The item/s shall be delivered according to the accepted offer of the bidder.
- 11. Item/s delivered shall be inspected on the scheduled date and time of the TSU. The delivery of the item/s shall be acknowledged upon the delivery to confirm compliance with the technical specifications.
- 12. Payment shall be made after delivery and upon the submission of the required supporting documents.
- 13. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. TSU may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 14. The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 12009 and its Implementing Rules and Regulations.
- 15. The RFQ, Purchase Order (PO), and other related documents for the above-stated procurement projects shall be deemed to form part of the contract.

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 2 of 9
L		12, 2025	

Date:		
I ISTO!		
1,010		

The Bids and Awards Committee

Tarlac State University San Vicente, Tarlac City

TSU-PRO-SF-121

Dear Sir/Madam:

After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

	Minimum Technical Specifications	Quantity	Offe Tech Specific	nical cations	Statement of Compliance (Comply or Not Comply)
gr	ote: Non-compliance with the counds for disqualification		. 		ations shall b
Pr	ocurement of I.T. Tools, Supplies,	Accessories	and Equip	ment	
1	COMPUTER TABLET, 13-INCH TABLET Chip: Latest chip Capacity: 128GB Display: Liquid Retina display, LED-backlit Multi- Touch display with IPS technology, 2732-by- 2048-pixel resolution at 264 ppi, Wide color (P3), True Tone, Fingerprint-resistant oleophobic coating, Fully laminated, Antireflective coating, 600 nits brightness Chip: 8-core CPU (4 performance cores + 4 efficiency cores), 9-core GPU, 16-core Neural Engine, 8 GB RAM Camera: 12MP Wide camera, f/1.8 aperture, Digital zoom up to 5x, Five-element lens Panorama (up to 63MP), Sapphire crystal lens cover, Autofocus with Focus Pixels Smart HDR 4, Wide color capture for photos and Live Photos, Photo geotagging Auto image stabilization, Burst mode, Image formats captured: HEIF and JPEG Video Recording: 4K video recording at 24 fps, 25 fps, 30 fps, or 60 fps 1080p HD video recording at 30 fps, Slo-mo video support for 1080p at 120 fps or 240 fps Time-lapse video with stabilization, Extended dynamic range for video up to 30 fps Cinematic video stabilization (4K, 1080p, and 720p) Continuous autofocus video, Playback zoom, Video formats captured: HEVC and H.264 Front Camera: Landscape 12MP Center Stage camera, f/2.0 aperture Smart HDR 4, 1080p HD video recording at 25 fps, 30 fps, or 60 fps Time-lapse video with stabilization, Extended dynamic range for video up to 30 fps Cinematic video stabilization (1080p and 720p), Wide color capture for photos and Live Photos Lens correction, Retina Flash with True Tone, Auto image stabilization, Burst mode Video Calling: FaceTime video, Center Stage, Share experiences like movies, TV, music, and other apps in a FaceTime call with SharePlay, Screen sharing, Portrait mode in FaceTime video, Spatial Audio, Voice Isolation and Wide Spectrum microphone modes Speakers: Landscape stereo speakers	2 units			

Page 3 of 9

Effectivity Date: August

_[Micro-phones: Dual microphones for calls, video		T —	
	recording, and audio recording			
	Celfular and Wireless: Wi-Fi 6E (802.11ax) with			
	2x2 MIMO5, Simultaneous dual band			
	Bluetooth 5.3			
. [Sensors: Touch ID, Three-axis gyro,			
·	Accelerometer, Barometer, Ambient light sensor			
į	USB-C port with support for: Charging,			
	DisplayPort, USB 3 (up to 10 Gbps)			
	Power and Battery: Built-in 36.59-watt-hour			
ļ	rechargeable lithium-polymer battery			
	Warranty warranty care plan for one year.			
	Repair or Replacement, coverage both parts and			
	labor, from manufacturer's authorized			
	technicians or service centers.			
<u> </u>				
	LAPTOP, OFFICE LAPTOP			
	Latest chip			
	Operating System: MacOS			
	10-core CPU with 4 performance cores and 6			
	efficiency cores, 10-core GPU, Hardware-			
	accelerated ray tracing, 16-core			
	Neural Engine			
	120GB/s memory bandwidth			
.	Media Engine, Hardware-accelerated H.264,		1	
	HEVC, ProRes, and ProRes RAW, Video decode			
	engine, Video encode engine, ProRes encode			
	and decode engine, AVI decode			
	Display: Liquid Retina display 13.6-inch			
	(diagonal) LED-backlit display with IPS			
	technology; 2 2560-by-1664 native resolution at			
1	224 pixels per inch, 500 nits brightness			
1	Color: Support for 1 billion colors, Wide color			
	(P3), True Tone technology		:	
1	Memory: 16GB unified memory			
1	Battery and Power: Up to 18 hours video			
	streaming, Up to 15 hours wireless web, Built-in			
	53.8-watt-hour lithium-polymer battery			
	' ' '			
	30W USB-C Power Adapter (included with M4			
	with 8-core GPU)			
3	35W Dual USB-C Port Compact Power Adapter	6 units	i	
2	(included with M4 with 10-core GPU;	O dilits		
	configurable with M4 with 8-core GPU)			
	USB-C to MagSafe 3 Cable, Fast-charge capable			
	with 70W USB-C Power Adapter			
	Storage: 256GB SSD			
! 	Charging and Expansion: MagSafe 3 charging		İ	
	port, 3.5mm headphone jack, Two Thunderbolt			
	4 (USB-C) ports with		}	
	support for:			
	Charging, DisplayPort, Thunderbolt 4 (up to 40		1	
	Gbps), USB 4 (up to 40 Gbps)			
Ì	Keyboard and Trackpad: Backlit Magic Keyboard			
	with:78 (U.S.) or 79 (ISO) keys including 12 full-			
	height function keys and 4 arrow keys in an			
	inverted-T arrangement, Touch ID, Ambient light			
	sensor			
	Force Touch trackpad for precise cursor control			
	and pressure-sensing capabilities; enables Force			
	clicks, accelerators, pressure-sensitive drawing,		+	
	and Multi-Touch gestures		1	
	Wireless: Wi-Fi 6E (802.11ax), Bluetooth 5.3			
	Camera: 12MP Center Stage camera with			
	support for Desk View, 1080p HD video			
	recording, Advanced image signal processor	1		
	with computational video			
	Audio: Four-speaker sound system	ļ		
	Support for Spatial Audio when playing music or	Į		
l	video with Dolby Atmos on built-in speakers	Į		
	· · · · · · · · · · · · · · · · · · ·			
	Three-mic array with directional beamforming,	!		1
1	Voice Isolation and Wide Spectrum microphone			
l	modes, Enhanced voice clarity in audio and			
	video calls	•		
	3.5mm headphone jack with advanced support			
	for			
	high-impedance headphones			
	In the box: 13-inch laptop, 35W Dual USB-C Port			
1	Compact Power Adapter, USB-C to MagSafe 3	1	I	1
	Compact rower Adapter, 030-C to magazine 3			
	Cable			

TCU DDO CE 121	Revision No.: 00	Defendant Data A	Page 4 of 9
TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 4 of 9
		12. 2025	

	Warranty: warranty care plan for one year. Repair or Replacement, coverage both parts and labor, from manufacturer's authorized technicians or service centers		
3	OFFICE COMPUTER, Assembly: Pre-built by the manufacturer Processor: At least 10 cores and 16 threads or higher, Latest generation processor available on the market, Max Turbo Frequency At least 4.6 GHz or higher, at least 10 nm Process Size OS: Preloaded Genuine/Original Windows 11 Pro 64bit English (Original OS Recovery USB Kit by the Manufacturer Included) Memory: 2 x 8GB DDR4, Total of 16GB DDR4 Memory Storage: 512GB NVME SSD Graphics: Integrated Graphics Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front), With Built-in speaker 1 Lineout multifunction Line-in audio port (rear) with Display Output ports (rear) Display: atleast 24" Wide Screen Monitor with LED Back Light with audio speaker (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Certifications: TCO Certified, EPFAT registered, Energy Star 8.0 Manufacturer ISO Certifications: ISO 9001, ISO 14001 Warranty: S years next business day on-site repair/warranty on all labor and parts by the manufacturer's authorized incountry/local technical support on desktop computer set. Support Services: Supplier/Manufacturer shall respond within 24 hours for Technical Assistance/Support which can provide response to technical issues via Telephone Call, Email or Site Visit upon verbal/written notification by the end-user agency, Supplier/Manufacturer should have an Authorized Service/Support Center nationwide Uninterrupted Power Supply Rated power in W: 650 W Rated power in VA: 1200 VA Input Connection Type: IEC 60320 C14 Output connection Type: IEC 60320 C14 Output connection: 4 x universal, 1 x IEC 60320 C13 Battery type: Lead-acid battery Mounting support Floor Network frequency 50/60 Hz +/- 1 Hz sync to mains UPS type Line interactive Wave type: Stepped approximation to a sinewave IP degree of protection: IP20 Battery voltage: 12 V Battery capacity 9.0 Ah Batter	2 sets	
4	PROJECTOR, (PORTABLE) Projection Technology: RGB liquid crystal shutter projection system White light Output (Normal): 3,200lm Normal/Eco: 3,200lm/1,900lm Wireless LAN; Inbuilt Analog Input: D-Sub 15 pin; 1(Blue), Composite; RCA x 1 Digital Input: HDMi; 1(MHL) Zoom: Wide: 30"-300" (0.67-6.81m) Stereo Mini Jack: 1 Auto Iris: 10,000:1 Standard Size: 60" screen 1.35-1.62m Zoom: Tele: 30"-300" (0.80-8.18m) Sound Output: Monaural: IW XI Features, Projectors Facets: Wifi Screen Mirroring, Quick Corner Laser/Lamp, Projectors Facets: Lamp Resolution, Projectors Facets: WXGA Contrast Ratio, Projectors Facets: 10,000:1 Brightness Range Lumens, Projectors Facets: 2000 Warranty: 1 year local supplier warranty	2 units	

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 5 of 9
		1 12 2025	

					1
	PROJECTOR, Wireless LAN-Built-In: Yes				
	Infrastructure: OPEN,				
	WPA2/WPA3-PSK, WPA2/WPA3-EAP Supported	j			
	EAP Type: PEAP, PEAP-TLS, EAP-TLS, EAP-Fast				
	Projection Technology RGB liquid erystal shutter				
	projection system (3LCD) White Light Output				
-	(Normal/Eco) 4,000 1m Colour Light Output:				
	4,000 1m USB Interface: USB Type A: 1 (For				1
ł	Wireless LAN, Firmware Update, Copy OSD				
	Settings) USB Type B: 1 (For Firmware Update,				
	Copy OSD Settings) Wireless: Built-In Composite: 1 RCA D-Sub 15pin: 1 Digital Input:				
- [HDMI: 2 2RCA (White & Red). 1 Contrast Ratio:				- (
	16,000:1 Standard Size Tele: 30" to 300" [1.42 to				
	14.41 m), Wide: 30 to 300" (0.87 to 8.88 m)				
	Vertical/ Horizontal Keystone: +30°/±30°				ļ
	(Auto Vertical Keystone only) Quick Comer: Yes				- 1
	Start-Up Period:				
-	Up to 6 seconds, Warm-up Period: 30 seconds				ı
.	Direct Power	2 units			
	On/Off: Yes Air Filter: High				-
	Efficiency Filter Maintenance Cycle:				
	10,000/20,000 hours *3 Fan				
-	Noise: 37dB/			+	
	28dB Power Supply Voltage: 100-240 V AC				
	±10%, 50/60 Hz				
	Resolution, Projectors Facets: FullHD Contrast				
	Ratio, Projectors Facets: 16,000:1 Brightness Range Lumens,				
	Projectors Facets:				
	2000 Features, Projectors Facets: Wifi, Screen				
	Mirroring, Quick				
1	Corner Laser/Lamp, Projectors Facets:,				ļ
-	Lamp LCD: Size: 0.61" (C2fine) Native				-
	Resolution: 1080p Lamp				
	Life: (Normal/				
İ	ECO): 5,500/12,000 hrs Aspect Ratio: 16:9 Zoom				-
ļ	Ratio: 1-16				-
1	Throw Ratio: 1.32-2.14 (Wide to Tele) F-				
	Number: 1.51-1.99 Focal Length: 18.20-29.20				ļ
	mm Type: Optical Zoom (Manual)/Focus (Manual) Accessories				Ì
- 1	Carrying Bag Warranty: 1 year local Supplier				
	Warranty.				
	EXTERNAL HARD DISK DRIVE, ITB		1		
	Product Features Slim Style, built-in 256-bit AES		1		
1	hardware encryption with password protection,	٠. م			
;	comes with backup software, Capacity: 1TB	6 units			İ
ļ	Connector: Micro-B Interface: UBS 3.2 Gen 1,		İ		-
	USB 3.0, USB 2.0 Transfer Rate: up to 5Gb/s				
	Warranty: 3 years manufacturer warranty				
	<u></u>	ļ	L	4	
7	MOUSE, Magic Mouse USB-C Charge Cable	1]
	Size and Weight.				
,	Height: 2.16 cm (0.85 inches) Width: 5.71 cm	1 unit			-
	(2.25 inches) Depth: 11.35 cm (4.47 inches)	1			
	Weight: 0.099 kg (0.22 pounds) General Multi-				
	Touch Connections and Expansion Bluetooth				ļ
	USB-C port Wireless	ļ	<u></u>	+	-
	PRINTER, A3 PRINTER				Ì
	Printer Type: Print, Scan, Copy, Fax with ADF				
	Minimum Ink	-			
	Droplet Volume: 3.3 pl Printer Language: ESC/P-R				
	Print Direction: Bi-directional printing		-		
	Nozzle Configuration: 400 x 1 nozzles (Black),				
	128 x 1 nozzles per colour (Cyan, Magenta,				
	Yellow)				
3	Maximum Resolution: 4800 x 1200 dpi,	2 units			
-	Automatic 2-sided				
	Printing: Yes (up to A4/				
	Letter), Print Speed: Photo Default - 10 x 15				
	cm/4 x 6": Approx.				
			1	1	
	71 sec per photo (Border)/95 sec per photo				- 1

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 6 of 9
		12, 2025	

	First Page Out Time from Ready Mode (Black/Colour): Simplex: Up to 10 sec/16 sec 2 Duplex: Up to 17 sec/25 sec, Maximum Copy Size:Legal		T	
	(Black/Colour): Simplex: Up to 10 sec/16 sec 2 Duplex: Up to 17 sec/25 sec, Maximum Copy			
	Duplex: Up to 17 sec/25 sec, Maximum Copy			
			I	
	Copy Resolution: 600 x 600 dpi Copying: ISO			
	29183, A4 Simplex			
	Flatbed (Black/Colour): Up to 11.5 ipm/5.5 ipm			
	Scanner Type: Flatbed colour image scanner			
	Sensor Type: CIS			
	Optical Resolution: 1200 x 2400 dpi Maximum			
1 1	Scan Area: 216 x 356 (mm) Scanner Bit Depth			
	(Colour):48-bit input, 24-bit output			
1	ADF Specifications: Paper Capacity:35 sheets			
	Number of Paper Trays:2 (Front 1, Rear 1),			
	Maximurn Paper Size:			1
i l	329 x 1200 mm			
	Paper Sizes: A3, A3+, Super B, US B (11 x 17"			
	prime prime), Legal, Indian			
	Legal, Letter, A4, 16K (195 x 270mm), 8K (270 x 390mm), Executive, B4, B5, A5, B6, A6, Hagaki (!
	100 x 148mr), Mexico-Oficio, 8.5 x 13" prime	ì		
	prime Offico9, Half-			
	Letter, 5 x 7 ",4x6" 8 x 10", 11 x14" prime prime		!	
	16:9 wide, Envelopes: #10, DL, C6, C4 Interface:	1		
	USB 2.0 Network: Ethernet, Wi-Fi	!		
1	IEEE (802.11b / g) / n Wi-Fi Direct			
	With additional 2 units of Genuine/Original			
	Maintenance Box			
	Warranty: 2 years local supplier warranty.			
	PROJECTOR SCREEN, 100' MOTORIZED	· · - ·	· · · · · · · · · · · · · · · · · · ·	
	PROJECTOR SCREEN	1		
}	Product Specifications Screen Size and Ratio			
	Diagonal Size: 100 inches			
	Viewable Area: Approximately 197 x 148cn			
	Aspect Ratio: 4:3 (standard model); 16:10			
	(home/office variant) Material and Surface			
	High-definition coated fabric			
	Smooth and wrinkle-resistant surface			
	Mold-resistant and corrosion-proof finish Easy to clean and maintain Viewing and			
	Operation			
	Viewing Angle: Up to 150°			
	Motorized automatic roll-up mechanism	2 units		
	Remote control operation (range up to 20			
	meters)			
	Includes wireless remote and wall-mounted			
	control panel Mounting and Installation			
	Suitable for wall or ceiling installation			
	Sturdy metal housing and internal support			
	Includes accessories: remote holder, wall plugs,			
- 1	mounting hooks, and nails			
	Power Supply and Control			
	Operates via AC power One-touch up/down control			
	Stable motor performance Physical			
F	Specifications			
	Estimated Weight: 8.6 kg			
II.	Casing: Durable metal casing (white or black			
L	finish, varies per model).		<u> </u>	
10	INTERACTIVE DISPLAY, INTERACTIVE	2 units		
1.	DISPLAY WMR SERIES			
	Product Specifications Display & Visual Features			
	Screen Size: 65 inches (diagonal)			
	Resolution: UHD 4K (3840 x 2160)			
	Panel Type: LED, Edge-lit (New Edge technology)			
	Refresh Rate: 60 Hz]	
	Brightness: 350cd / cm2) (220cd /m2) with			
	protective glass) Contrast Ratio: 4,000:1			
	Viewing Angle: 178° horizontal and vertical			
	Response Time: 8 milliseconds (Gray-to-Gray)			
	Color Gamut: 72%			
	Touch & Collaboration Features			
	Touch Technology: InGlass™ multi-touch			
9	Simultaneous Touch Points: Up to 4 users			
	Writing Tools: Pen, finger, or palm input			
	Modes: Brush mode, annotation layer, merge-			
l t	to-roll			
I			J	

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 7 of 9
	l <u>.</u>	12. 2025	

			ļ		
1					
			İ		
İ					
			1		
			İ		
			!		
			İ		
	Ì				
	<u></u>				
	}				
	llowe*	 *	1		
ng as ro	IIOM2.				
_	ng as fo	ng as follows*	ng as follows**	ng as follows**	ng as follows**

Payment shall be made through Landbank's LDDAPADA/Bank Transfer Facility, issuance of check or cash on delivery (COD) within thirty (30) calendar days after receipt of sales/service invoice and issuance of Inspection and Acceptance Report/Certificate of Acceptance from the End-User. In case accounts maintained in other banks, bank transfer fees shall be chargeable against the creditor's account.

Interested suppliers shall provide the following Bank Details in the statement of compliance

column:	
Bank Name:	
Bank Branch/Address:	 <u> </u>
Bank Account Name:	
Bank Account Number:	
and the second of the second o	

FINANCIAL OFFER:

	Procurement of I.T. Tools, Supplies, Accessories and Equipment						
	Approved Budget One Million Five Hundred Eight Tho	for the Contract	(ABC):				
	Items	Quantity (A)	Offered Price per Unit (B)	Total Offered Price per Item (A x B)			
1	COMPUTER TABLET, 13-INCH TABLET						
2	LAPTOP	6					
3	OFFICE COMPUTER	2					
4	PROJECTOR, (PORTABLE)	2		= =			
5	PROJECTOR, Wireless LAN-Built-In	2					
6	EXTERNAL HARD DISK DRIVE	6 -					
7	MOUSE	1	·-··				
8	PRINTER, A3 PRINTER	2					
9	PROJECTOR SCREEN	2					
10	INTERACTIVE DISPLAY						
				——————————————————————————————————————			
			Grand Total				

	In Words:
Total Offered Quotation	In Figures:
	-
	Signature Over Printed Name
	Position/Designation
	Company Registered Name
	Office Telephone/Mobile Nos.
	Email Address/es
	Date

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 9 of 9
		12, 2025	

THE RESIDENCE OF THE SECOND CONTRACT OF THE SECOND







Bid Notice Abstract Committee of the state of the s

Request for Quotation (RFQ)

Reference Number

12602299

Procuring Entity

TARLAC STATE UNIVERSITY

Title

Procurement of I.T. Tools, Supplies, Accessories and Equipment

Area of Delivery

Solicitation Number:	625-2025	Status	Active
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	
Category:	Office Equipment Parts and Accessories		·
Approved Budget for the Contract:	PHP 1,508,470.00	Document Request List	0
Delivery Period:	60 Day/s		
Client Agency:		Date Published	20/11/2025
Contact Person:	Tutchie Panlilio		
	Clerk TSU, Romuło Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac	Last Updated / Time	20/11/2025 00:00 AM
	Philippines 2300	Closing Date / Time	28/11/2025 13:00 PM

Description

1. COMPUTER TABLET, 13-INCH TABLET (2 units)

Chip: Latest chip Capacity: 128GB

Display: Liquid Retina display, LED-backlit Multi-Touch display with IPS technology, 2732-by-2048-pixel resolution at 264 ppi, Wide color (P3), True Tone, Fingerprint-resistant oleophobic coating, Fully laminated, Antireflective coating,

600 nits brightness

Chip: 8-core CPU (4 performance cores + 4 efficiency cores), 9-core GPU, 16-core Neural Engine, 8 GB RAM Camera: 12MP Wide camera, f/1.8 aperture, Digital zoom up to 5x, Five-element lens Panorama (up to 63MP), Sapphire crystal lens cover, Autofocus with Focus Pixels Smart HDR 4, Wide color capture for photos and Live Photos, Photo geotagging

Auto image stabilization, Burst mode, Image formats

captured: HEIF and JPEG

captured: HEVC and H.264

Video Recording: 4K video recording at 24 fps, 25 fps, 30 fps, or 60 fps

63-045-6068110 Ext.157 tsucanvassing@gmail.com

1080p HD video recording at 25 fps, 30 fps, or 60 fps
720p HD video recording at 30 fps, Slo-mo video support for 1080p at 120 fps or 240 fps
Time-lapse video with stabilization, Extended dynamic range for video up to 30 fps Cinematic video stabilization (4K, 1080p, and 720p) Continuous autofocus video, Playback zoom, Video formats

Front Camera: Landscape 12MP Center Stage camera, f/2.0 aperture Smart HDR 4, 1080p HD video recording at 25 fps, 30 fps, or 60 fps

Time-lapse video with stabilization, Extended dynamic range for video up to 30 fps

Cinematic video stabilization (1080p and 720p), Wide color capture for photos and Live Photos

Lens correction, Retina Flash with True Tone, Auto image stabilization, Burst mode

Video Calling: FaceTime video, Center Stage, Share experiences like movies, TV, music, and other apps in a FaceTime call with SharePlay, Screen sharing, Portrait mode in FaceTime video, Spatial Audio, Voice Isolation and Wide Spectrum microphone modes

Speakers: Landscape stereo speakers

Micro-phones: Dual microphones for calls, video recording, and audio recording Cellular and Wireless: Wi-Fi 6E (802.11ax) with 2x2 MIMO5, Simultaneous dual band

Bluetooth 5.3

Sensors: Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient light sensor

USB-C port with support for: Charging, DisplayPort, USB 3 (up to 10 Gbps)
Power and Battery: Built-in 36.59-watt-hour rechargeable lithium-polymer battery

Warranty warranty care plan for one year. Repair or Replacement, coverage both parts and labor, from manufacturer's

authorized technicians or service centers.

2. LAPTOP, OFFICE LAPTOP (6 units)

Latest chip

Operating System: MacOS

10-core CPU with 4 performance cores and 6 efficiency cores, 10-core GPU, Hardware-accelerated ray tracing, 16core

Neural Engine

120GB/s memory bandwidth

Media Engine, Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW, Video decode engine, Video encode engine, ProRes encode and decode engine, AVI decode

Display: Liquid Retina display 13.6-inch (diagonal) LED-backlit display with IPS technology; 2 2560-by-1664 native resolution at 224 pixels per inch, 500 nits brightness

Color: Support for 1 billion colors, Wide color (P3), True Tone technology

Memory: 16GB unified memory

Battery and Power: Up to 18 hours video streaming, Up to 15 hours wireless web, Built-in 53.8-watt-hour lithiumpolymer battery

30W USB-C Power Adapter (included with M4 with 8-core GPU)

35W Dual USB-C Port Compact Power Adapter (included with M4 with 10-core GPU; configurable with M4 with 8-core

USB-C to MagSafe 3 Cable, Fast-charge capable with 70W USB-C Power Adapter

Storage: 256GB SSD

Charging and Expansion: MagSafe 3 charging port, 3.5mm headphone jack, Two Thunderbolt 4 (USB-C) ports with support for:

Charging, DisplayPort, Thunderbolt 4 (up to 40 Gbps), USB 4 (up to 40 Gbps)

Keyboard and Trackpad: Backlit Magic Keyboard with: 78 (U.S.) or 79 (ISO) keys including 12 full-height function keys and 4 arrow keys in an inverted-T arrangement, Touch ID, Ambient light sensor

Force Touch trackpad for precise cursor control and pressure-sensing capabilities; enables Force clicks, accelerators, pressure-sensitive drawing, and Multi-Touch gestures Wireless: Wi-Fi 6E (802.11ax), Bluetooth 5.3

Camera: 12MP Center Stage camera with support for Desk View, 1080p HD video recording, Advanced image signal

processor with computational video Audio: Four-speaker sound system

Support for Spatial Audio when playing music or video with Dolby Atmos on built-in speakers Three-mic array with directional beamforming, Voice Isolation and Wide Spectrum microphone modes, Enhanced voice clarity in audio and video calls

3.5mm headphone jack with advanced support for

high-impedance headphones

In the box: 13-inch laplop, 35W Dual USB-C Port Compact Power Adapter, USB-C to MagSafe 3 Cable Warranty: warranty care plan for one year. Repair or Replacement, coverage both parts and labor, from manufacturer's authorized technicians or service centers.

3. OFFICE COMPUTER, (2 sets) Assembly: Pre-built by the manufacturer Processor: At least 10 cores and 16 threads or higher, Latest generation processor available on the market, Max Turbo Frequency At least 4.6 GHz or higher, at least 10 nm Process Size OS: Preloaded Genuine/Original Windows 11 Pro 64bit English (Original OS Recovery USB Kit by the Manufacturer Included) Memory: 2 x 8GB DDR4, Total of 16GB DDR4 Memory Storage: 512GB NVME SSD Graphics: Integrated Graphics Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front), With Built-in speaker 1 Line-out multifunction Line-in audio port (rear) with Display Output ports (rear) Display: atleast 24" Wide Screen Monitor with LED Back Light with audio speaker (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Certifications: TCO Certified, EPEAT registered, Energy Star 8.0 Manufacturer ISO Certifications: ISO 9001, ISO 14001 Warranty: 5 years next business day on-site repair/warranty on all labor and parts by the manufacturer's authorized in-country/local technical support on desktop computer set. Support Services: Supplier/Manufacturer shall respond within 24 hours for Technical Assistance/Support which can provide response to technical issues via Telephone Call, Email or Site Visit upon verbal/written notification by the end-user agency, Supplier/Manufacturer should have an Authorized Service/Support Center nationwide

Uninterrupted Power Supply Rated power in W: 650 W Rated power in VA: 1200 VA Input Connection Type: IEC 60320 C14 Output connection: 4 x universal, 1 x IEC 60320 C13 Battery type: Lead-acid battery Mounting support Floor Network frequency 50/60 Hz +/- 5 Hz auto-sensing Input voltage limits 140 to 300 V 230 V AC Output frequency 50/60 Hz +/- 1 Hz sync to mains UPS type Line interactive Wave type: Stepped approximation to a sinewave IP degree of protection: IP20 Battery voltage: 12 V Battery capacity 9.0 Ah Battery life 2 to 3 year(s) Surge energy rate 273: J Mercury free: Yes Warranty: 2 years Local Supplier Warranty on UPS.

4. PROJECTOR, (PORTABLE) (2 units)

Projection Technology: RGB liquid crystal shutter projection system White light Output (Normal): 3,200lm

Normal/Eco: 3,200lm/1,900lm Wireless LAN; In-built Analog Input: D-Sub 15 pin; 1(Blue), Composite; RCA x 1

Digital Input: HDMI; 1(MHL) Zoom: Wide: 30"-300" (0.67-6.81m)

Stereo Mini Jack: 1 Auto Iris: 10,000:1

Standard Size: 60" screen 1.35-1.62m Zoom: Tele: 30" -300" (0.80-8.18m)

Sound Output: Monaural: 1W XI

Features, Projectors Facets: Wifi Screen Mirroring, Quick Corner Laser/Lamp, Projectors Facets: Lamp Resolution, Projectors Facets: WXGA Contrast Ratio, Projectors Facets: 10,000:1

Brightness Range Lumens, Projectors Facets: 2000

Warranty: 1 year local supplier warranty.

5. PROJECTOR, (2 units) Wireless LAN-Built-In: Yes Infrastructure: OPEN,

WPA2/WPA3-PSK, WPA2/WPA3-EAP Supported EAP Type: PEAP, PEAP-TLS, EAP-TLS, EAP-Fast Projection Technology RGB liquid crystal shutter projection system (3LCD) White Light Output (Normal/Eco) 4,000 1m Colour Light Output: 4,000 1m USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Wireless: Built-In Composite: 1 RCA D-Sub 15pin: 1 Digital Input: HDMI: 2 2RCA (White & Red). 1 Contrast Ratio: 16,000:1 Standard Size Tele: 30" to 300" [1.42 to 14.41 m), Wide: 30 to 300" (0.87 to 8.88 m) Vertical/ Horizontal Keystone: +30°/±30°

(Auto Vertical Keystone only) Quick Comer: Yes Start-Up Period:

Up to 6 seconds, Warm-up Period: 30 seconds Direct Power

On/Off: Yes Air Filter: High

Efficiency Filter Maintenance Cycle: 10,000/20,000 hours *3 Fan Noise: 37dB/ 28dB Power Supply Voltage: 100-240 V AC ±10%, 50/60 Hz Resolution, Projectors Facets: FullHD Contrast Ratio, Projectors Facets: 16,000:1 Brightness Range Lumens, Projectors Facets: 2000 Features, Projectors Facets: Wifi, Screen Mirroring, Quick Corner Laser/Lamp, Projectors Facets: Lamp LCD: Size: 0.61" (C2fine) Native Resolution: 1080p Lamp Life: (Normal/ ECO): 5,500/12,000 hrs Aspect Ratio: 16:9 Zoom Ratio: 1-16 Throw Ratio: 1.32-2.14 (Wide to Tele) F-Number: 1.51-1.99 Focal Length: 18.20-29.20 mm Type: Optical Zoom (Manual)/Focus (Manual) Accessories Carrying Bag Warranty: 1 year local Supplier Warranty. 6. EXTERNAL HARD DISK DRIVE, ITB (6 units) Product Features Slim Style, built-in 256-bit AES hardware encryption with password protection, comes with backup software, Capacity: 1TB Connector: Micro-B Interface: UBS 3.2 Gen 1, USB 3.0, USB 2.0 Transfer Rate: up to 5Gb/s Warranty: 3 years manufacturer warranty. 7. MOUSE, (1 unit) Magic Mouse USB-C Charge Cable Size and Weight. Height: 2.16 cm (0.85 inches) Width: 5.71 cm (2.25 inches) Depth: 11.35 cm (4.47 inches) Weight: 0.099 kg (0.22 pounds) General Multi-Touch Connections and Expansion Bluetooth USB-C port Wireless. 8. RINTER, A3 PRINTER (2 units) Printer Type: Print, Scan, Copy, Fax with ADF Minimum Ink Droplet Volume: 3.3 pl Printer Language: ESC/P-R Print Direction: Bi-directional printing Nozzle Configuration: 400 x 1 nozzles (Black), 128 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution: 4800 x 1200 dpi, Automatic 2-sided Printing: Yes (up to A4/ Letter), Print Speed: Photo Default - 10 x 15 cm/4 x 6": Approx. 71 sec per photo (Border)/95 sec per photo (Borderless), Draft, A4 (Black/Colour): Up to 38.0 ppm/24.0 ppm First Page Out Time from Ready Mode (Black/Colour): Simplex: Up to 10 sec/16 sec 2 Duplex: Up to 17 sec/25 sec, Maximum Copy Size:Legal Copy Resolution: 600 x 600 dpi Copying: ISO 29183, A4 Simplex Flatbed (Black/Colour): Up to 11.5 ipm/5.5 ipm Scanner Type: Flatbed colour image scanner Sensor Type: CIS Optical Resolution: 1200 x 2400 dpi Maximum Scan Area: 216 x 356 (mm) Scanner Bit Depth (Colour):48-bit input, 24-bit output ADF Specifications: Paper Capacity:35 sheets Number of Paper Trays:2 (Front 1, Rear 1), Maximurn Paper Size: 329 x 1200 mm Paper Sizes: A3, A3+, Super B, US B ($11 \times 17''$ prime prime), Legal, Indian Legal, Letter, A4, 16K (195 x 270mm), 8K (270 x 390mm), Executive, B4, B5, A5, B6, A6, Hagaki (100×148 mr), Mexico-Oficio, 8.5 x 13" prime prime Offico9, Half-Letter, 5 x 7 ",4x6" 8 x 10", 11 x14" prime prime 16:9 wide, Envelopes: #10, DL, C6, C4 Interface: USB 2.0 Network: Ethernet, Wi-Fi IEEE (802.11b / g) / n Wi-Fi Direct With additional 2 units of Genuine/Original Maintenance Box Warranty: 2 years local supplier warranty 9. PROJECTOR SCREEN, 100' MOTORIZED PROJECTOR SCREEN (2 units) Product Specifications Screen Size and Ratio Diagonal Size: 100 inches Viewable Area: Approximately 197 x 148cn Aspect Ratio: 4:3 (standard model); 16:10 (home/office variant) Material and Surface High-definition coated fabric Smooth and wrinkle-resistant surface Mold-resistant and corrosion-proof finish Easy to clean and maintain Viewing and Operation Viewing Angle: Up to 150° Motorized automatic roll-up mechanism Remote control operation (range up to 20 meters) Includes wireless remote and wall-mounted control panel Mounting and Installation Suitable for wall or ceiling installation Sturdy metal housing and internal support Includes accessories: remote holder, wall plugs, mounting hooks, and nails Power Supply and Control Operates via AC power One-touch up/down control Stable motor performance Physical Specifications Estimated Weight: 8.6 kg Casing: Durable metal casing (white or black finish, varies per model). 10. INTERACTIVE DISPLAY, INTERACTIVE DISPLAY WMR SERIES (2 units) Product Specifications Display & Visual Features Screen Size: 65 inches (diagonal) Resolution: UHD 4K (3840 x 2160)
Panel Type: LED, Edge-lit (New Edge technology) Refresh Rate: 60 Hz Brightness: 350cd / cm2) (220cd /m2) with protective glass) Contrast Ratio: 4,000:1 Viewing Angle: 178° horizontal and vertical

Response Time: 8 milliseconds (Gray-to-Gray)

Color Gamut: 72%

Touch & Collaboration Features Touch Technology: InGłass™ multi-touch Simultaneous Touch Points: Up to 4 users Writing Tools: Pen, finger, or palm input

Modes: Brush mode, annotation layer, merge-to-roll

Collaboration Tools: Embedded note-taking, image, editing, and content sharing Connectivity

Inputs: HDMI x2

USB x2 NEC

Ethernet (RJ45) RS-232C Audio out Wireless: Wi-Fi

Bluetooth Screen Sharing & External Control Screen mirroring (Touch-out control) Remote PC connectivity

Real-time content sharing across devices Built-in

Features

Integrated speakers

Flip software pre-installed Intuitive user interface with gesture support Physical

Dimensions & Mounting

Dimensions (WHD) 1522.4 * 897.6 * 62.9mm

Weight: Approx. 40 kg (device), 50 kg (with packaging) Mount Compatibility: VESA 400 * 400 mm Power

Requirements

Power Supply: AC 100-240 V, 50/60 Hz

Power Consumption:

Typical: 181.5 W
Standby: 0.5 W Warranty 3-year manufacturer's warranty (parts, labor, backlight)
Line Items

Line Items	and Marketine and American Control	The state of the s	early services of	namen use un	C#PUTTERING TO CONTINUE TESTS FOR SUBMISSION OF
	(· · · · · · · · · · · · · · · · · · ·				
1	COMPUTER TABLET	13-INCH TABLET Chip: Latest chip Capacity: 128GB Display: Liquid Retina display, LED-backlit Multi-Touch display with IPS technology, 2732-by-2048-pixel resolution at *Please refer to the Request for Quotation for complete specifications*	2	Unit	109,980.00
2	LAPTOP	OFFICE LAPTOP Latest chip Operating System: MacOS 10-core CPU with 4 performance cores and 6 . *Please refer to the Request for Quotation for complete specifications*	6	Unit	390,000.00
3	OFFICE COMPUTER	Assembly: Pre-built by the manufacturer Processor: At least 10 cores and 16 threads or higher, Latest generation *Please refer to the Request for Quotation for complete specifications*	2	Set	150,000.00
4	PROJECTOR	(PORTABLE)Projection Technology: RGB liquid crystal shutter projection system White light Output (Normal): 3,200lm. *Please refer to the Request for Quotation for complete specifications*	2	Unit	140,000.00
5	PROJECTOR	Wireless LAN-Built-In: Yes Infrastructure: OPEN, WPA2/WPA3-PSK, WPA2/WPA3-EAP Supported EAP Type: PEAP, PEAP-TLS, EAP-TLS, EAP-Fast . *Please refer to the Request for Quotation for complete specifications*	2	Unit	100,000.00
6	EXTERNAL HARD DISK DRIVE	ITB Product Features Slim Style, built-in 256-bit AES hardware encryption with password protection, *Please refer to the Request for Quotation for complete specifications*	6	Unit	30,000.00
7	MOUSE	Magic Mouse USB-C Charge Cable Size and Weight. Height: 2.16 cm (0.85 inches) Width: 5.71 cm *Please refer to the Request for Quotation for complete specifications*	1	Unit	4,490.00
8	PRINTER	A3 PRINTER Printer Type: Print, Scan, Copy, Fax with ADF Minimum Ink Droplet Volume: 3.3 pl*Please refer to the Request for Quotation for complete specifications*	2	Unit	64,000.00
9	PROJECTOR SCREEN	100' MOTORIZED PROJECTOR SCREEN Product Specifications Screen Size and Ratio Diagonal Size: 100 inches *Please refer to the Request for Quotation for complete specifications*	2	Unit	20,000.00

	10	INTERACTIVE DISPLAY	INTERACTIVE DISPLAY WMR SERIES Product Specifications Display & Visual Features Screen Size: 65 inches (diagonal) *Please refer to the Request for Quotation for complete specifications*	2	Unit	500,000.00
ı	Other Informa	tion			<u> </u>	

The bidders must download the attached documents in the associated component section.

Note: Award shall be on a "per line item" basis.

Please refer to the Request for Quotation for complete specifications

Created by Tutchie Panlilio Date Created 19/11/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2025 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap