



PURCHASE ORDER

Procurement Unit
Tel No.: (045) 606-8142 / 606-8157

DELIVERY DUE DATE: 2/25/24

Supplier: **LABTRADERS, INC.**
Address: #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business: **Merchandising**
TIN No.: **008-306-697-000** VAT Reg.
Tel. No.: **0917-517-1213**

PR No.: 2023-09-352
PO No.: 2024-031
Date: 01/09/2024
Mode of Procurement: Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: 30 calendar days
Date of Delivery: Payment Term: n/15

| Item No. | Unit | Description | Quantity | Unit Cost | Total Cost |
|-------------------|------|--|----------|-----------|------------------|
| 64 | unit | PIPETTOR, 8 CHANNELS MECHANICAL PIPETTOR (30-300 ul), increment 0.20 ul; - Systematic Error for test volumes 30ul needs 0.75ul, 150 ul needs 1.50ul and 300ul needs 1.80ul; Descriptions: Easy volume adjustment with click stop system; Large display for easy reading of volume - For both right and left-handed users, Color coded for easy matching of filling tips; - Materials have high chemical and UV-resistance to secure long life-time of the pipette; Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools; - Safe-cone filters available for models above 10ul for extra protection when using non-filtered tips; - With light tip ejector, Fully autoclavable without the need for disassembly; Superior Ergonomics - designed handle and finger hook; Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil; - Pipetting force of 15N to avoid Repetitive Strain injury (RSI); - With click stop as volume locking; - Length 239mm; - Weight of 82 grams; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer | 1 | 50,000.00 | 50,000.00 |
| <i>Sub-total:</i> | | | | | 50,000.00 |



Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. GRACEN ROSETE
Vice President for Administration
Authorized Official

Conforme:
RONALDO P. MENDOZA / January 26, 2024
LABTRADERS, INC.

(Signature over printed name & date)
Bank Account Name: **LABTRADERS, INC.**
Bank Account Number: **066-1092-521**
Bank Name: **Landbank**
Bank Address: **No. 60 AGS Plaza, Quezon Ave., Quezon City**

Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

ALOBS No.: **02-702441-2024-01-0114**
Amount: **170,000.00**



PURCHASE ORDER

Procurement Unit

Tel No.: (045) 606-8142 / 606-8157

DELIVERY DUE DATE: 2/25/24

Supplier: **LABTRADERS, INC.**
 Address: #89 Jasmin St., Roxas District, Quezon City, Metro Manila
 Type of Business: Merchandising
 TIN No.: 008-306-697-000 VAT Reg.
 Tel. No.: 0917-517-1213


PR No.: 2023-09-352
 PO No.: 2024-031
 Date: 01/09/2024
 Mode of Procurement: Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: 30 calendar days
 Date of Delivery: Payment Term: n/15

| Item No. | Unit | Description | Quantity | Unit Cost | Total Cost |
|-------------------|------|--|----------|-----------|------------------|
| 65 | unit | <p><i>Balance Forwarded:</i></p> <p>PIPETTOR, SINGLE CHANNEL MECHANICAL PIPETTOR (10 to 100ul), increment 0.10 ul; Systematic Error for test volumes 10ul needs 0.30ul, 50 ul needs 0.50ul and 100ul needs 0.80ul; Descriptions: Easy volume adjustment with click stop system; - Large display for easy reading of volume - For both right- and left- handed users; Color coded for easy matching of fitting tips; - Materials have high chemical and UV-resistance to secure long life- time of the pipette; - Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools; - Safe-cone filters available for models above 10ul for extra protection when using non-filtered tips; With light tip ejector; - Fully autoclavable without the need for disassembly; - Superior Ergonomics - designed handle and finger hook; Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil; - Pipetting force of 15N to avoid Repetitive Strain injury (RSI); With click stop as volume locking; Length 239 mm; Weight of 82 grams; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer</p> | 1 | 20,000.00 | 20,000.00 |
| <i>Sub-total:</i> | | | | | 70,000.00 |



Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. GRACE N. ROSETE
 Vice President for Administration
 Authorized Official

Conforme:
RONALDO P. MENDOZA / January 26, 2024

LABTRADERS, INC.

(Signature over printed name & date)

Bank Account Name: LABTRADERS, INC.
 Bank Account Number: 066-1092-521
 Bank Name: Landbank
 Bank Address: No. 60 AGS Plaza, Quezon Ave., Quezon City

Funds Available:

JASPER A. YAUDER, CPA
 Budget Officer

ALOBS No.: 02-2024-01-2624-01
 Amount: 70,000.00



PURCHASE ORDER

Procurement Unit

Tel No.: (045) 606-8142/ 606-8157

DELIVERY DUE DATE: 2/25/24

Supplier : **LABTRADERS, INC.**
 Address : **#89 Jasmin St., Roxas District, Quezon City, Metro Manila**
 Type of Business : **Merchandising**
 TIN No. : **008-306-697-000 VAT Reg.**
 Tel. No. : **0917-517-1213**


PR No.: **2023-09-352**
 PO No.: **2024-031**
 Date: **01/09/2024**
 Mode of Procurement: **Small Value**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: **30 calendar days**
 Date of Delivery: _____ Payment Term: **n/15**

| Item No. | Unit | Description | Quantity | Unit Cost | Total Cost |
|----------|------|--|----------|-----------|-------------------|
| 66 | pack | <i>Balance Forwarded:</i> PIPETTE TIPS (350 ul tips) 1 BOX TIPS IN A RACK , Dimensions WxDxH: 430 x 135 x 205 mm, Length: 54 mm, Length Range: 54 mm; Extended Length: No; Wide Bore: No; Pack Size: 960; Packaging: Single Tray; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNase, RNase, ATP and endotoxins; Volume: 350 µL | 2 | 5,000.00 | 10,000.00 |
| 68 | pack | PIPETTE TIPS (200 ul tips) 1 BOX TIPS IN A RACK , Dimensions WxDxH: 430 x 125 x 135 mm; Length: 51 mm; Length Range: 51 mm; Extended Length: No; Wide Bore: No; Pack Size: 960; Packaging: Single Tray; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNase, RNase, ATP and endotoxins; Volume: 200 µL | 2 | 5,000.00 | 10,000.00 |
| 70 | unit | LABORATORY BLENDER , Specifications: Two-speed, push-button operation; Base: die-cast, epoxy-coated motor housing 1-liter, stainless steel container with handle and two-piece vinyl and styrene lid; 0.5 HP motor; Power 230V, 50 Hz; Approved CE, RoHS; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer" <i>warranty: one (1) year on parts and on service under normal use</i> | 1 | 80,000.00 | 80,000.00 |
| | | | | | 170,000.00 |



(Total Amount in Words) One Hundred Seventy Thousand Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. GRACE N. ROSETE
 Vice President for Administration
 Authorized Official

Conforme:
RONALDO P. MENDOZA / January 26, 2024

LABTRADERS, INC.

(Signature over printed name & date)

Bank Account Name: **LABTRADERS, INC.**
 Bank Account Number: **066-1092-521**
 Bank Name: **Landbank**
 Bank Address: **No. 60 AGS Plaza, Quezon Ave., Quezon City**

Funds Available:

JASPER A. YALDER, CPA
 Budget Officer

ALOBS No.: **02-2024-111-1024-01-011**
 Amount: **170,000.00**



PURCHASE ORDER

Procurement Unit
Tel No.: (045) 606-8142 / 606-8157

DELIVERY DUE DATE: 2/25/24

Supplier : **LABTRADERS, INC.**
Address : #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business : **Merchandising**
TIN No. : **008-306-697-000 VAT Reg.**
Tel. No. : **0917-517-1213**


PR No.: **2023-09-352**
PO No.: **2024-031**
Date: **01/09/2024**
Mode of Procurement: **Small Value**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: **30 calendar days**
Date of Delivery: _____ Payment Term: **n/15**

| Item No. | Unit | Description | Quantity | Unit Cost | Total Cost |
|-------------------|------|---|----------|-----------|------------------|
| 64 | unit | PIPETTOR, 8 CHANNELS MECHANICAL PIPETTOR (30-300 ul), increment 0.20 ul; - Systematic Error for test volumes 30ul needs 0.75ul, 150 ul needs 1.50ul and 300ul needs 1.80ul; Descriptions: Easy volume adjustment with click stop system; Large display for easy reading of volume - For both right and left-handed users; Color coded for easy matching of fitting tips; - Materials have high chemical and UV-resistance to secure long life-time of the pipette; Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools; - Safe- cone filters available for models above 10µl for extra protection when using non-filtered tips; - With light tip ejector; Fully autoclavable without the need for disassembly; Superior Ergonomics - designed handle and finger hook; Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil; - Pipetting force of 15N to avoid Repetitive Strain injury (RSI); - With click stop as volume locking; - Length 239mm; - Weight of 82 grams; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer | 1 | 50,000.00 | 50,000.00 |
| <i>Sub-total:</i> | | | | | 50,000.00 |



Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. GRACEN ROSETE
Vice President for Administration
Authorized Official

Conforme:

LABTRADERS, INC.

(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____

Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

ALOBS No. : **02-702441-2024-01-0114**
Amount : **170,000.00**



PURCHASE ORDER

DELIVERY DUE DATE: 2/25/24

Procurement Unit
Tel No.: (045) 606-8142 / 606-8157

Supplier: LABTRADERS, INC.
Address: #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business: Merchandising
TIN No.: 008-306-697-000 VAT Reg.
Tel. No.: 0917-517-1213

PR No.: 2023 09 352
PO No.: 2024-031
Date: 01/09/2024
Mode of Procurement: Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: TARLAC STATE UNIVERSITY **Delivery Term:** 30 calendar days
Date of Delivery: **Payment Term:** n/15

| Item No. | Unit | Description | Quantity | Unit Cost | Total Cost |
|-------------------|------|---|----------|-----------|------------------|
| 65 | unit | <p style="text-align: right;"><i>Balance Forwarded:</i></p> PIPETTOR, SINGLE CHANNEL MECHANICAL PIPETTOR (10 to 100ul) , increment 0.10 ul; Systematic Error for test volumes 10ul needs 0.30ul, 50 ul needs 0.50ul and 100ul needs 0.80ul; Descriptions: Easy volume adjustment with click stop system; - Large display for easy reading of volume - For both right- and left- handed users; Color coded for easy matching of fitting tips; - Materials have high chemical and UV-resistance to secure long life- time of the pipette; - Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools; - Safe-cone filters available for models above 10µl for extra protection when using non-filtered tips; With light tip ejector; - Fully autoclavable without the need for disassembly; - Superior Ergonomics - designed handle and finger hook; Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil; - Pipetting force of 15N to avoid Repetitive Strain injury (RSI); With click stop as volume locking; Length 239 mm; Weight of 82 grams; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer | 1 | 20,000.00 | 20,000.00 |
| <i>Sub-total:</i> | | | | | 70,000.00 |



Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. GRACE N. ROSETE
Vice President for Administration
Authorized Official

Conforme:

LABTRADERS, INC.

(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____

Funds Available:

IASPER A. YAUDER, CPA
Budget Officer

ALOBS No.: 02-2024-01-2024-01-10-11
Amount: 70,000.00



PURCHASE ORDER

DELIVERY DUE DATE: 2/25/24

Procurement Unit
Tel No.: (045) 606-8142/ 606-8157


Supplier : **LABTRADERS, INC.**
Address : #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business : Merchandising
TIN No. : 008-306-697-000 VAT Reg.
Tel. No. : 0917-517-1213

PR No.: 2023-09-352
PO No.: 2024-031
Date: 01/09/2024
Mode of Procurement: Small Value

Gentlemen:
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY**
Date of Delivery: _____
Delivery Term: 30 calendar days
Payment Term: n/15

| Item No. | Unit | Description | Quantity | Unit Cost | Total Cost |
|----------|------|---|----------|-----------|-------------------|
| 66 | pack | <i>Balance Forwarded:</i> PIPETTE TIPS (350 ul tips) 1 BOX TIPS IN A RACK , Dimensions WxDxH: 430 x 135 x 205 mm; Length: 54 mm; Length Range: 54 mm; Extended Length: No; Wide Bore: No; Pack Size: 960; Packaging: Single Tray; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNase, RNase, ATP and endotoxins; Volume: 350 µL | 2 | 5,000.00 | 10,000.00 |
| 68 | pack | PIPETTE TIPS (200 ul tips) 1 BOX TIPS IN A RACK , Dimensions WxDxH: 430 x 125 x 135 mm; Length: 51 mm; Length Range: 51 mm; Extended Length: No; Wide Bore: No; Pack Size: 960; Packaging: Single Tray; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNase, RNase, ATP and endotoxins; Volume: 200 µL | 2 | 5,000.00 | 10,000.00 |
| 70 | unit | LABORATORY BLENDER , Specifications: Two-speed, push-button operation; Base: die-cast, epoxy-coated motor housing 1-liter, stainless steel container with handle and two-piece vinyl and styrene lid; 0.5 HP motor; Power 230V, 50 Hz; Approved CE, RoHS; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer" <i>warranty: one (1) year on parts and on service under normal use</i> ***** <i>Purpose: to be used in the conduct of the research proposal entitled "Phase 1: Assessment and Authentication of invasive Alien Tree Species Found in Selected Forest Areas of San Jose Tarlac Phase: 2 Phytochemical Screening and Antimicrobial Activity of Invasive Alien Tree Species Found in Selected Forest Areas of San Jose Tarlac. Geraldine R. Gamoso Lead Author</i> | 1 | 80,000.00 | 80,000.00 |
| | | | | | 170,000.00 |



(Total Amount in Words) One Hundred Seventy Thousand Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. GRACE N. ROSETE
Vice President for Administration
Authorized Official

Conforme:

LABTRADERS, INC.

(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____

Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

ALOBS No. : 02-2024-01-0114
Amount : 171,070.00